



Perch Light Branch

A bird is gracefully balanced on a tall metal perch, beautiful and proud, a swinging glimmer of warm light... yet you are inside, after daylight has faded, under the spell of the Perch Light Floor Lamp!

Designer

Year of design

Material Additional Umut Yamac

2016

Steel, Aluminium, PP Solid State LED

www.moooi.com

m o o o i

Technical

 ϵ

Input Voltage:

180-240V ~ 50/60Hz

Power Consumption:

Max 15W

Colour Temperature:

2700K

Light source:

Solid State LED

CRI:

80

Lumen:

Approx 560lm

Dimmable:

0-10V-, I-10V-, PWM dimming

Please make sure the right provisions are made for 0-10V/1-10V/PWM dimming.

Canopy:

Ø20,5cm| 8,1" x 4,2cm | 1,7" in matching brass colour.

Technical UL





Input Voltage:

IIOV

Power Consumption:

Max 15W

Colour Temperature:

2700K

Light source:

Solid State LED

CRI:

80

Lumen:

Approx 560lm

Dimmable:

I-10V dimmable

Canopy:

 \emptyset 20,5cm| 8,1" x 4,2cm | 1,7" in matching brass colour.

Recommended dimmer 0-10V dimmable

For a fluent dimming behaviour we advice a dimmer that is compatible with the following specs:

Transformer type: Electronic Low Voltage (ELV) 0-10V Dim

Load type: Capacitive load (C-Type) **Dimmer type:** 0-10V dimmable

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.



Suspension Cable & Poles

Cable length

 $4M \mid 13.1ft \text{ (black) can be shortened down to } 30cm \mid 11.8". (10M \mid 32.8ft on request)$

Suspension poles

You can adjust the length of the suspension pole. Enclosed there are 6 parts of suspension poles in 3 different sizes: 2x10cm (3.9"), 2x15 cm (5.9"), 2x50cm (19.6"). Total 1.5M | 4.9". Additional poles are available on special request.

Colour



Brass



White



Packaging

H 53 cm | 21,2" W 34 cm | 13,6" D 115 cm | 46"

Colli I/I

With packaging: 8 KG | 18 lb

dimensions

