



Bathtubs Wall mounted Marsiglia  
AVAS1076\_

Benedini Associati, 2015

Bathtub with panel, for wall mounting  
(rounded corners)

#### Finishes




White



White/dark grey



White/light grey




Bathtub in white Cristalplant® biobased or two coloured (exterior in dark grey RAL7021 or light grey RAL 7044) featuring a side shelf which can be equipped with a iroko tray. Available with panel for wall mounting, with overflow hole. The tap can be positioned on the wall, on the ground or on the side shelf. In these cases, you can also have internal supply via the hole with the ring nut in polished stainless steel. With waste with cap in white Cristalplant® biobased .MET0725C (can also be used for bathtubs on display). The two-coloured model can be made in a colour chosen by the client with a surcharge of 15%. For an easier installation of the bathtub we recommend to use the template for the positioning of the waste trap AKITPZVAS.

Materials used: Cristalplant® biobased.

|                         |                   |                                 |
|-------------------------|-------------------|---------------------------------|
| Height:                 | 57.5 cm           | 22" 41/64 inches                |
| Depth:                  | 87.0 cm           | inches                          |
| Lenght:                 | 149.0 cm          | 58" 21/32 inches                |
| Capacity:               | 277.0 l           | 74 gal                          |
| Weight:                 | 120.0 kg          | 253 lbs                         |
| Packaging measurements: | 100 x 200 x 82 cm | 39"3/8 x 78"3/4 x 32"1/4 inches |
| Weight with packaging:  | 193.0 kg          | 425 lbs                         |




Main dimensions






Dimensions for recess





Dimensions for wall mounted taps




|  |                      |                |
|--|----------------------|----------------|
| FEZ (ARUB050000L, ARUB051000L, ARUB150000C, ARUB151000C, ARUB1089S, ARUB190000C, ARUB191000C, ARUB1091S) | A*<br>725 (28'35/64) | B**<br>-       |
| MEMORY (ARUB1076S, ARUB1077S, ARUB1040S)   | 725 (28'35/64)       | -              |
| SQUARE (ARUB0932N, ARUB0933N)  | -                    | 725 (28'35/64) |
| SEN (ASEN0912V)  | -                    | 725 (28'35/64) |

\* inserasse gruppo / axial distance for tap  
\*\* filo inferiore gruppo / Tap's lower edge



Dimensions for freestanding spouts



|  | A            | B             | C              | D             | E              |
|--|--------------|---------------|----------------|---------------|----------------|
| FEZ (ARUB140, ARUB145, ARUB170N)   | 120 (3"1/8)  | 220 (8"21/32) | 345 (13"37/64) | 225 (10"7/16) | 415 (16"11/32) |
| MEMORY (ARUB1078, ARUB1072, ARUB1033)  | 120 (3"1/8)  | 220 (8"21/32) | 345 (13"37/64) | 265 (10"7/16) | 415 (16"11/32) |
| SQUARE (ARUB0961L, ARUB0934L,<br>ARUB0935NL, ARUB0936NL,<br>ARUB0952L, ARUB1024N,<br>ARUB1112, ARUB1115) | 85 (3"11/32) | 220 (8"21/32) | 345 (13"37/64) | 230 (9"1/16)  | 380 (14"61/64) |
| SEN (ASEN0911)   | 85 (3"11/32) | 220 (8"21/32) | 345 (13"37/64) | 230 (9"1/16)  | 380 (14"61/64) |