





Main dimensions






Dimensions for recess





Dimensions for wall mounted taps




	A*	B**
FEZ 2 (AFEZ027)	750 (29" 17/32)	-
FEZ (ARUB050000L, ARUB051000L, ARUB150000C, ARUB151000C, ARUB190000C, ARUB191000C)	750 (29" 17/32)	-
MEMORY (AMEM342, AMEM324, AMEM343, ARUB1077S, ARUB1040S)	750 (29" 17/32)	-
SQUARE (ARUB1117, ARUB1118, ARUB0932N, ARUB0933N)	-	700 (27" 9/16)
SEN (ASEN0912V)	-	700 (27" 9/16)

* inserasse gruppo / axial distance for tap
 ** filo inferiore gruppo / Tap's lower edge




Dimensions for freestanding spouts



	A	B	C	D
FEZ 2 (ARUB140, ARUB141, AFE026)	80 (3" 1/8)	188 (7" 13/32)	435 (17" 1/8)	835 (32" 7/8)
FEZ (ARUB145, ARUB170)	80 (3" 1/8)	188 (7" 13/32)	435 (17" 1/8)	835 (32" 7/8)
MEMORY (AMEM327, AMEM325, ARUB1078, ARUB1072, ARUB1033)	80 (3" 1/8)	188 (7" 13/32)	435 (17" 1/8)	835 (32" 7/8)
SQUARE (ARUB1112, ARUB1115, ARUB0961L, ARUB0934L, ARUB0935NL, ARUB0936NL, ARUB0952L)	80 (3" 1/8)	188 (7" 13/32)	435 (17" 1/8)	835 (32" 7/8)
SEN (ASEN0911, ASEN0977)	80 (3" 1/8)	170 (6" 11/16)	417 (16" 27/64)	817 (32" 11/64)



Note



La vasca deve essere installata su un pavimento perfettamente piano.
The bathtub must be positioned on a flat floor surface.

E' necessario predisporre a pavimento un pozzetto.
It is necessary to prepare a recess in the floor.

Evitare di realizzare impianti di riscaldamento nell'area sottostante la vasca.
Avoid the installation of floor heating plants in the area under the bathtub.