




#### Bathtubs In-Out AVAS1041Z

Benedini Associati, 2009

Freestanding bathtub in Exmar, narrow edge





#### **Finishes**



White



White/dark grey



White/light grey

Bathtub with round interior in white Exmar or two colourd (exterior in dark grey RAL7021 or light grey RAL 7044) with narrow and overflow. Use of the .MET0477L waste with siphon is obligatory. The taps can be mounted on the wall or floor. For open bathtubs use the .MET0434 waste. For an easier installation of the bathtubs we recommend to use the template for the positioning of the waste trap AKITPZVAS.


Materials used: Exmar.

Height:	60.0 cm	23"5/8 inches
Diameter:	130.0 cm	51"1/8 inches
Capacity:	520.0 I	137 gal
Weight:	132.0 kg	291 lbs
Packaging measurements:	143 x 143 x 68 cm	56"2/8 x 56"2/8 x 26"6/8 inches
Weight with packaging:	231.0 kg	509 lbs






#### Main dimensions













Dimensions for recess







#### Dimensions for wall mounted taps




		A*	B**
FEZ 2	(AFEZ027)	750 (29" 17/32)	-
FEZ	(ARUB050000L, ARUB051000L, ARUB150000C,	750 (29" 17/32)	-
	ARUB151000C, ARUB190000C, ARUB191000C)		
MEMORY	(AMEM342, AMEM324, AMEM343, ARUB1077S,		
	ARUB1040S)	750 (29" 17/32)	-
SQUARE	(ARUB1117, ARUB1118, ARUB0932N, ARUB0933N)	-	700 (27"9/16)
SEN	(ASEN0912V)	-	700 (27"9/16)

<sup>\*</sup> inserasse gruppo / axial distance for tap
\*\* filo inferiore gruppo / Tap's lower edge





#### Dimensions for freestanding spouts




		А	В	С	D
FEZ 2	(ARUB140, ARUB141, AFE026)	80 (3"1/8)	188 (7"13/32)	435 (17" 1/8)	835 (32" 7/8)
FEZ	(ARUB145, ARUB170)	80 (3"1/8)	188 (7"13/32)	435 (17" 1/8)	835 (32" 7/8)
MEMORY	(AMEM327, AMEM325, ARUB1078,	80 (3"1/8)	188 (7"13/32)	435 (17" 1/8)	835 (32" 7/8)
	ARUB1072, ARUB1033)				
SQUARE	(ARUB1112, ARUB1115, ARUB0961L,	80 (3"1/8)	188 (7"13/32)	435 (17" 1/8)	835 (32" 7/8)
	ARUB0934L, ARUB0935NL, ARUB0936NL,				
	ARUB0952L)				
SEN	(ASEN0911, ASEN0977)	80 (3"1/8)	170 (6"11/16)	417 (16" 27/64)	817 (32" 11/64)





Note



La vasca deve essere installata su un pavimento perfettamente piano. The bathtub must be positioned on a flat floor surface.

E' necessario predisporre a pavimento un pozzetto. It is necessary to prepare a recess in the floor.

Evitare di realizzare impianti di riscaldamento nell'area sottostante la vasca. Avoid the installation of floor heating plants in the area under the bathtub.