

# FLOS

## Caule Bollard 1, Black, 2700K - Specification Sheet by Patricia Urquiola, 2020

---

Mounting	Base on Ground
Lamp (Bulb) Description	5W, 447lm, 2700K, CRI 80
Canopy Dimension	282
Environment	Indoor/Outdoor - Wet Locations
Dimming	Dimmable 0-10V
Finish	Black

### Electrical

---

Voltage	120-277
IP Rating	IP66

### Physical

---


Construction Material	Aluminium
Weight	4.18 lbs



---

● F016A21BU30 Black

### Dimensional Image



### Certifications



# FLOS

## Caule Floor 2, 2700K, Black - Specification Sheet by Patricia Urquiola, 2020

---

Mounting	Free Standing
Lamp (Bulb) Description	10W, 447lm, 2700K, CRI80
Environment	Outdoor - Wet location
Finish	Black

### Electrical

---

Switching	Floor dimmer switch ON/OFF function and 30–100% dimmable LED
IP Rating	IP66


### Physical

---

Construction Material	Aluminium
Weight	12.8 lbs

● F016M22KU30 Black

### Dimensional Image



### Certifications



# FLOS

## Caule Floor 3, 2700K, Black - Specification Sheet by Patricia Urquiola, 2020

---

Mounting	Free Standing
Lamp (Bulb) Description	10W, 447lm, 2700K, CRI80
Environment	Outdoor - Wet location
Finish	Black

### Electrical

---

Switching	Floor dimmer switch ON/OFF function and 30–100% dimmable LED
IP Rating	IP66

### Physical

---

Construction Material	Aluminium
Weight	13.2 lbs

● F016M23KU30 Black

### Dimensional Image



### Certifications



# FLOS

## Caule Floor 4, 2700K, Black - Specification Sheet by Patricia Urquiola, 2020

---

Mounting	Free Standing
Lamp (Bulb) Description	10W, 447lm, 2700K, CRI80
Environment	Outdoor - Wet location
Finish	Black

### Electrical

---

Switching	Floor dimmer switch ON/OFF function and 30–100% dimmable LED
IP Rating	IP66


### Physical

---

Construction Material	Aluminium
Weight	15 lbs

● F016M24KU30 Black

### Dimensional Image



### Certifications



# FLOS

## Caule Floor 5, 2700K, Black - Specification Sheet by Patricia Urquiola, 2020

---

Mounting	Free Standing
Lamp (Bulb) Description	10W, 447lm, 2700K, CRI80
Environment	Outdoor - Wet location
Finish	Black

### Electrical

---

Switching	Floor dimmer switch ON/OFF function and 30–100% dimmable LED
IP Rating	IP66


### Physical

---

Construction Material	Aluminium
Weight	15.9 lbs

● F016M25KU30 Black

### Dimensional Image



### Certifications

