




DESIGN DAVIDE GROPPI - 2019
 LAMPADA A SOSPENSIONE - METACRILATO - METALLO - PA - PVC
 SUSPENSION LAMP - METHACRYLATE - METAL - PA - PVC


CE IP 20

ChainDelier 1






198800	STANDARD - 3000K	ChainDelier 1-1 220-240 V - 50/60 Hz - 1 x 5 W LED - 350 lm - CRI > 90
198800-27	STANDARD - 2700K	40 ANELLI ORO - ROSONE GRANDE ORO DRIVER LED INCLUSO INPUT 220-240 V - 50/60 Hz - DIMMERABILE DALI - PUSH ACCESSORI OPZIONALI 40 GOLD LINKS - BIG GOLD CEILING ROSE INCLUDES LED DRIVER INPUT 220-240 V - 50/60 Hz - DALI - PUSH DIMMABLE OPTIONAL ACCESSORIES
199000	STANDARD - 3000K	ChainDelier 1-2 220-240 V - 50/60 Hz - 2 x 5 W LED - 2 x 350 lm - CRI > 90
199000-27	STANDARD - 2700K	60 ANELLI ORO - ROSONE GRANDE ORO DRIVER LED INCLUSO INPUT 220-240 V - 50/60 Hz - DIMMERABILE DALI - PUSH ACCESSORI OPZIONALI 60 GOLD LINKS - BIG GOLD CEILING ROSE INCLUDES LED DRIVER INPUT 220-240 V - 50/60 Hz - DALI - PUSH DIMMABLE OPTIONAL ACCESSORIES
199200	STANDARD - 3000K	ChainDelier 1-3 220-240 V - 50/60 Hz - 3 x 5 W LED - 3 x 350 lm - CRI > 90
199200-27	STANDARD - 2700K	100 ANELLI ORO - ROSONE GRANDE ORO - ROSONE PICCOLO ORO DRIVER LED INCLUSO INPUT 220-240 V - 50/60 Hz - DIMMERABILE DALI - PUSH ACCESSORI OPZIONALI 100 GOLD LINKS - BIG GOLD CEILING ROSE - SMALL GOLD CEILING ROSE INCLUDES LED DRIVER INPUT 220-240 V - 50/60 Hz - DALI - PUSH DIMMABLE OPTIONAL ACCESSORIES

MISURE CONSIGLIATE / SUGGESTED MEASURES






198700	STANDARD - 3000K	ChainDelier 2-1 24 V DC - 1 x 5 W LED - 350 lm - CRI > 90 40 ANELLI ORO - 2 ROSONI ORO KIT INSTALLAZIONE OBBLIGATORIO INCLUSO - DRIVER LED INCLUSO INPUT 220-240 V - 50/60 Hz DIMMERABILE DALI - PUSH - ACCESSORI OPZIONALI 40 GOLD LINKS - 2 GOLD CEILING ROSE COMPULSORY INSTALLATION KIT INCLUDED - INCLUDES LED DRIVER INPUT 220-240 V - 50/60 Hz DALI - PUSH DIMMABLE - OPTIONAL ACCESSORIES
198700-27	STANDARD - 2700K	
198900	STANDARD - 3000K	ChainDelier 2-2 24 V DC - 2 x 5 W LED - 2 x 350 lm - CRI > 90 60 ANELLI ORO - 2 ROSONI ORO KIT INSTALLAZIONE OBBLIGATORIO INCLUSO - DRIVER LED INCLUSO INPUT 220-240 V - 50/60 Hz DIMMERABILE DALI - PUSH - ACCESSORI OPZIONALI 60 GOLD LINKS - 2 GOLD CEILING ROSE COMPULSORY INSTALLATION KIT INCLUDED - INCLUDES LED DRIVER INPUT 220-240 V - 50/60 Hz DALI - PUSH DIMMABLE - OPTIONAL ACCESSORIES
198900-27	STANDARD - 2700K	
199100	STANDARD - 3000K	ChainDelier 2-3 24 V DC - 3 x 5 W LED - 3 x 350 lm - CRI > 90 100 ANELLI ORO - 3 ROSONI ORO KIT INSTALLAZIONE OBBLIGATORIO INCLUSO - DRIVER LED INCLUSO INPUT 220-240 V - 50/60 Hz DIMMERABILE DALI - PUSH - ACCESSORI OPZIONALI 100 GOLD LINKS - 3 GOLD CEILING ROSE COMPULSORY INSTALLATION KIT INCLUDED - INCLUDES LED DRIVER INPUT 220-240 V - 50/60 Hz DALI - PUSH DIMMABLE - OPTIONAL ACCESSORIES
199100-27	STANDARD - 2700K	

ChainDelier 1





ChainDelier 2 MISURE CONSIGLIATE / SUGGESTED MEASURES




CE  IP 20

ACCESSORI OPZIONALI / OPTIONAL ACCESSORIES

1A03800	STANDARD - 3000K	24 V DC - 5 W LED - 350 lm - CRI > 90 MODULO LED - MAX 5 MODULI PER DRIVER LED MODULE - MAX 5 MODULES FOR DRIVER	
1A03800-27	STANDARD - 2700K		

1A07300	STANDARD	10 ANELLI ORO / 10 GOLD LINKS	

1A03900	STANDARD (+ POSITIVE)	ROSONE ORO / GOLD CEILING ROSE	
1A04000	STANDARD (- NEGATIVE)		