

# Gravity Chandelier

PAUL COCKSEGE



The Gravity Chandelier by Paul Cocksedg re-imagines the chandeliers of the past. Inspired by changing rigidity to elasticity. The Gravity Chandelier is the definition of a modern chandelier. At first glance, it doesn't reveal its flexibility and cleverness; It takes a second look to unravel its mystery. With its flexible arms, you define the chandelier's diameter and choose where the light travels, but the suspended elements create natural curves shaped by gravity. The Gravity Chandelier comes in two sizes, after the number of arms, Gravity Chandelier 5 and Gravity Chandelier 7.

---

## *Detailing*



The Gravity Chandelier lets you choose its diameter and where the light travels.

---


## *Colours*



Black

# Gravity Chandelier / 5

## Dimensions



## Product

**WIDTH** 127cm | 50"  
**HEIGHT** 90cm | 35.4"  
**DEPTH** 127cm | 50"  
**DIAMETER** 127cm | 50"  
**WEIGHT NETTO** 6kg | 13.23lbs

## Packaging

**WIDTH** 67.5cm | 26.6"  
**HEIGHT** 45.5cm | 17.9"  
**CUBAGE** 0.21m<sup>3</sup> | 7.32ft<sup>3</sup>  
**LENGTH** 67.5cm | 26.6"  
**WEIGHT** 10kg | 22.05lbs

## Technical CE / cULus

### MATERIAL

Faceted glass with powder coated steel light unit, ultra-thin suspension wire and braided flat cable

### ENERGY LABEL

Energy Label A

### INSTALLATION REQUIRED

Yes

### LIGHTSOURCE TYPE

LED

### LIGHTSOURCE INCLUDED

Yes

### NUMBER OF LIGHTSOURCES

5

### INPUT VOLTAGE

120-250

### FREQUENCY

50/60

### MAX POWER CONSUMPTION

18W

### DIMMABLE

Yes

### LAMPHOLDER

LED (Solid state)

### LIFETIME

50000 hours

### CABLE COLOUR

Black

### CANOPY

Matching steel cylinder

### CHROM X

0.46

### CHROM Y

0.4

### COLOUR TEMPERATURE

2614 K

### CRI

89

### LIGHT DIRECTION

All directions

### LIGHT OUTPUT

1025 lm

### EEL

0.23


**EFFICIENCY**

56.94 lm/W



# Gravity Chandelier / 7

## Dimensions



## Product

**WIDTH** 127cm | 50"  
**HEIGHT** 90cm | 35.4"  
**DEPTH** 127cm | 50"  
**DIAMETER** 127cm | 50"  
**WEIGHT NETTO** 7kg | 15.43lbs

## Packaging

**WIDTH** 67.5cm | 26.6"  
**HEIGHT** 45.5cm | 17.9"  
**CUBAGE** 0.21m<sup>3</sup> | 7.32ft<sup>3</sup>  
**LENGTH** 67.5cm | 26.6"  
**WEIGHT** 12kg | 26.46lbs

## Technical CE / cULus

**MATERIAL**

Faceted glass with powder coated steel light unit, ultra-thin suspension wire and braided flat cable

**ENERGY LABEL**

Energy Label A

**INSTALLATION REQUIRED**

Yes

**LIGHTSOURCE TYPE**

LED

**LIGHTSOURCE INCLUDED**

Yes

**NUMBER OF LIGHTSOURCES**

7

**INPUT VOLTAGE**

120-250

**FREQUENCY**

50/60

**MAX POWER CONSUMPTION**

25W

**DIMMABLE**

Yes

**LAMPHOLDER**

LED (Solid state)

**LIFETIME**

50000 hours

**CABLE COLOUR**

Black

**CANOPY**

Matching steel cylinder

**CHROM X**

0.46

**CHROM Y**

0.4

**COLOUR TEMPERATURE**

2614 K

**CRI**

89

**LIGHT DIRECTION**

All directions

**LIGHT OUTPUT**

1434 lm

**EEL**

0.24

**EFFICIENCY**

57.36 lm/W



---

## *Dimmer*

Dims to dark using DALI DT6 and Push dimming.  
Supported via accessories: Casambi, 0-10V and Zigbee 3.0 to integrate with Philips Hue, Apple HomeKit, Google Home or Amazon Alexa.

**DIMMER TYPE**

Dali, Push and Smart Dimming

Please contact our sales department for more information.

---