Mounting	Ceiling Surface
Lamp (Bulb) Description	40W, 3195lm, 2700K, CRI 90
Environment	Indoor - Dry Location
Dimming	0-10V
Finish	Black/Gold
Technical and Product Description	The next chapter in the story of a successful launch: the unique design InfraStructure EVO by Vincent Van Duysen evolves with new light elements allow for dramatic, yet subtle improvements in the versatility of the original. advanced connection system now combines both vertical and horizo components to create three-dimensional configurations in infinite variations

down, or diagonally with light.

a linear, disc, and cone-shaped modules, allowing the designer to move up,



03.8460.14 Black/Gold

Dimensional Image

44,5" ↓ 23.8"

Certifications

Electrical

Voltage IP Rating

Physical

Construction Material	Aluminum
Weight	13.66 lbs

120-277

IP20



Mounting	Ceiling Surface
Lamp (Bulb) Description	30W, 2366lm, 2700K, CRI 90
Environment	Indoor - Dry Location
Dimming	0-10V
Finish	Black/Gold
Technical and Product Description	The next chapter in the story of a successful launch: the unique desig InfraStructure EVO by Vincent Van Duysen evolves with new light elements allow for dramatic, yet subtle improvements in the versatility of the original. advanced connection system now combines both vertical and horizon


down, or diagonally with light.

components to create three-dimensional configurations in infinite variations with a linear, disc, and cone-shaped modules, allowing the designer to move up,



03.8461.14 Black/Gold

Dimensional Image



Certifications

Electrical

Voltage	
IP Rating	

Physical

Construction Material	Aluminum
Weight	5.51 lbs

120-277

IP20



Mounting	Ceiling Surface
Lamp (Bulb) Description	60W, 5015lm, 2700K, CRI 90
Environment	Indoor - Dry Location
Dimming	0-10V
Finish	Black/Gold
Technical and Product Description	The next chapter in the story of a successful launch: the unique design InfraStructure EVO by Vincent Van Duysen evolves with new light elements allow for dramatic, yet subtle improvements in the versatility of the original. advanced connection system now combines both vertical and horizo components to create three-dimensional configurations in infinite variations


down, or diagonally with light.


a linear, disc, and cone-shaped modules, allowing the designer to move up,



03.8462.14 Black/Gold

Dimensional Image





Mounting	Ceiling Surface
Lamp (Bulb) Description	110W, 8756lm, 2700K, CRI 90
Environment	Indoor - Dry Location
Dimming	0-10V
Finish	Black/Gold
Technical and Product Description	The next chapter in the story of a successful launch: the unique designed infraStructure EVO by Vincent Van Duysen evolves with new light elements allow for dramatic, yet subtle improvements in the versatility of the original

The next chapter in the story of a successful launch: the unique design of InfraStructure EVO by Vincent Van Duysen evolves with new light elements that allow for dramatic, yet subtle improvements in the versatility of the original. The advanced connection system now combines both vertical and horizontal components to create three-dimensional configurations in infinite variations with a linear, disc, and cone-shaped modules, allowing the designer to move up, down, or diagonally with light.

Electrical

Voltage		
IP Rating		

Physical

Construction Material	Aluminum
Weight	27.55 lbs

120-277


IP20





03.8463.14 Black/Gold

Dimensional Image





Mounting	Ceiling Surface
Lamp (Bulb) Description	8W, 783lm, 2700K, CRI80
Environment	Indoor - Dry Location
Dimming	0-10V
Finish	Black/Gold
Technical and Product Description	The next chapter in the story of a successful launch: the unique design of Structure EVO by Vincent Van Duysen evolves with new light elements allow for dramatic, yet subtle improvements in the versatility of the original.

Electrical

Voltage IP Rating

Physical

Construction Material	
Weight	

Aluminum 8.81 lbs

120-277 IP20





03.8465.14 Black/Gold

Dimensional Image



Mounting	Ceiling Surface
Lamp (Bulb) Description	8W, 783lm, 2700K, CRI80
Environment	Indoor - Dry Location
Dimming	0-10V
Finish	Black/Gold
Technical and Product Description	The next chapter in the story of a successful launch: the unique design of In Structure EVO by Vincent Van Duysen evolves with new light elements allow for dramatic, yet subtle improvements in the versatility of the original.

Electrical

Voltage IP Rating

Physical

Construction Material	
Weight	

Aluminum 11.02 lbs


120-277 IP20





03.8466.14 Black/Gold

Dimensional Image





Mounting	Ceiling Surface
Lamp (Bulb) Description	8W, 783lm, 2700K, CRI80
Environment	Indoor - Dry Location
Dimming	0-10V
Finish	Black
Technical and Product Description	The next chapter in the story of a successful launch: the unique design of In Structure EVO by Vincent Van Duysen evolves with new light elements allow for dramatic, yet subtle improvements in the versatility of the original.

Electrical

Voltage IP Rating

Physical

Construction Material Weight Aluminum 23.14 lbs

120-277 IP20





• 03.8467.14 Black

Dimensional Image

