





The sizes are expressed in millimeters / inches.



DESIGN OMAR CARRAGLIA - 2012
WALL LAMP - METAL

MIRA ENDLESS





| | | |
|-----------------|------------------------------|---|
| 1A2280303.27.40 | MATT WHITE - 2700K - ENDLESS | 48 V DC - 6 W LED 2700K - 352 lm - CRI > 90 3000K - 352 lm - CRI > 90 COMPULSORY ENDLESS POWER SUPPLY KIT NOT INCLUDED |
| 1A2280303.30.40 | MATT WHITE - 3000K - ENDLESS | |
| 1A2280403.27.40 | MATT BLACK - 2700K - ENDLESS | |
| 1A2280403.30.40 | MATT BLACK - 3000K - ENDLESS | |

 CASAMBI VERSION



| | | |
|-----------------|--------------------------------------|---|
| 1A2280303.27.41 | MATT WHITE - 2700K - ENDLESS CASAMBI | 48 V DC - 8,5 W LED 2700K - 352 lm - CRI > 90 3000K - 352 lm - CRI > 90 DIMMABLE WITH CASAMBI WIRELESS CONTROL COMPULSORY ENDLESS POWER SUPPLY KIT NOT INCLUDED |
| 1A2280303.30.41 | MATT WHITE - 3000K - ENDLESS CASAMBI | |
| 1A2280403.27.41 | MATT BLACK - 2700K - ENDLESS CASAMBI | |
| 1A2280403.30.41 | MATT BLACK - 3000K - ENDLESS CASAMBI | |





The sizes are expressed in millimeters / inches.

| | | | |
|-----------------|-------------------|---|--|
| 1A3470300.00.00 | MATT WHITE - 5 m | ENDLESS - MAX 150 W - MAX 48 V DC - MAX 4 A | |
| 1A3470400.00.00 | MATT BLACK - 5 m | | |
| 1A0050300.00.00 | MATT WHITE - 10 m | | |
| 1A0050400.00.00 | MATT BLACK - 10 m | | |


| | | | |
|-----------------|----------|--------------------------------|--|
| 1A0370000.00.00 | STANDARD | FIXING ROUGH WALLS KIT - 2,5 m | |
|-----------------|----------|--------------------------------|--|

| | | | |
|-----------------|------------|--|--|
| 1A3480300.00.00 | MATT WHITE | TERMINAL BOX WITH 2 TERMINALS INCLUDED | |
| 1A3480400.00.00 | MATT BLACK | | |


| | | | |
|-----------------|------------|---|--|
| 1A0030300.00.00 | MATT WHITE | POWER BASE FOR INSTALLATION WITH PLUG KIT | |
| 1A0030400.00.00 | MATT BLACK | | |

| | | | |
|-----------------|------------|---|--|
| 1A0810303.00.00 | MATT WHITE | POWER BASE FOR INSTALLATION WITH REMOTE KIT | |
| 1A0810403.00.00 | MATT BLACK | | |


| | | | |
|-----------------|----------|----------------------|--|
| 1A3490000.00.00 | STANDARD | TERMINALS - 2 PIECES | |
|-----------------|----------|----------------------|--|



WALL AND CEILING ROSE KIT



REMOTE POWER SUPPLY KIT



The sizes are expressed in millimeters / inches.

COMPULSORY POWER SUPPLY KIT FOR ENDLESS ON/OFF SYSTEM AND CASAMBI

| | | | |
|-----------------|---------------------|---|--|
| 1A0260303.00.00 | MATT WHITE - ON/OFF | POWER SUPPLY KIT WITH PLUG INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W | |
| 1A0260403.00.00 | MATT BLACK - ON/OFF | | |
| | | | |

| | | | |
|-----------------|---------------------|--|--|
| 1A1020303.00.00 | MATT WHITE - ON/OFF | WALL - CEILING ROSE - REMOTE KIT INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20 | |
| 1A1020403.00.00 | MATT BLACK - ON/OFF | | |
| | | | |

COMPULSORY POWER SUPPLY KIT FOR ENDLESS DIMMABLE SYSTEM

| | | | |
|-----------------|------------|--|--|
| 1A1800303.00.06 | MATT WHITE | POWER SUPPLY KIT WITH PLUG - DIMMER INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W | |
| 1A1800403.00.06 | MATT BLACK | | |
| | | | |

| | | | |
|-----------------|------------------|---|--|
| 1A1810303.00.07 | MATT WHITE - DIM | WALL - CEILING ROSE - REMOTE KIT INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20 DALI - PUSH - 0/1-10 V DIMMABLE | |
| 1A1810403.00.07 | MATT BLACK - DIM | | |
| | | | |



Light is free

POWER KIT:

| | | | |
|-----------------|---|----|-----------|
| 1A0260403.00.00 | POWER SUPPLY KIT WITH PLUG - 48 V - NOT DIMMABLE - MATT BLACK | 90 | MAX 1,875 |
| 1A1020303.00.00 | WALL CEILING ROSE - REMOTE KIT - 48 V - NOT DIMMABLE - MATT WHITE | 90 | MAX 1,875 |
| 1A1800403.00.06 | POWER SUPPLY KIT WITH PLUG - 48 V - DIMMABLE | 90 | MAX 1,875 |
| 1A1810303.00.07 | WALL CEILING ROSE - REMOTE KIT - 48 V - DALI - PUSH - 0/1-10 V DIMMABLE | 90 | MAX 1,875 |


ELEMENTS:

| | | | |
|-----------------|--|------|------|
| 1A1080303.00.40 | SPOT - MATT WHITE - ENDLESS | 13 | 0,34 |
| 1A1080403.00.40 | SPOT - MATT BLACK - ENDLESS | 13 | 0,34 |
| 1A1080303.00.41 | SPOT - MATT WHITE - ENDLESS - CASAMBI | 15,5 | 0,4 |
| 1A1080403.00.41 | SPOT - MATT BLACK - ENDLESS - CASAMBI | 15,5 | 0,4 |
| 1A2340303.27.40 | DOT P - MATT WHITE - 3000K - ENDLESS | 13 | 0,34 |
| 1A2340303.30.40 | DOT P - MATT WHITE - 2700K - ENDLESS | 13 | 0,34 |
| 1A2340403.27.40 | DOT P - MATT BLACK - 3000K - ENDLESS | 13 | 0,34 |
| 1A2340403.30.40 | DOT P - MATT BLACK - 2700K - ENDLESS | 13 | 0,34 |
| 1A2340303.27.41 | DOT P - MATT WHITE - 3000K - ENDLESS - CASAMBI | 15,5 | 0,4 |
| 1A2340303.30.41 | DOT P - MATT WHITE - 2700K - ENDLESS - CASAMBI | 15,5 | 0,4 |
| 1A2340403.27.41 | DOT P - MATT BLACK - 3000K - ENDLESS - CASAMBI | 15,5 | 0,4 |
| 1A2340403.30.41 | DOT P - MATT BLACK - 2700K - ENDLESS - CASAMBI | 15,5 | 0,4 |
| 1A2280303.27.40 | MIRA - MATT WHITE - 3000K - ENDLESS | 6 | 0,16 |
| 1A2280303.30.40 | MIRA - MATT WHITE - 2700K - ENDLESS | 6 | 0,16 |
| 1A2280403.27.40 | MIRA - MATT BLACK - 3000K - ENDLESS | 6 | 0,16 |
| 1A2280403.30.40 | MIRA - MATT BLACK - 2700K - ENDLESS | 6 | 0,16 |
| 1A2280303.27.41 | MIRA - MATT WHITE - 3000K - ENDLESS - CASAMBI | 8,5 | 0,22 |
| 1A2280303.30.41 | MIRA - MATT WHITE - 2700K - ENDLESS - CASAMBI | 8,5 | 0,22 |
| 1A2280403.27.41 | MIRA - MATT BLACK - 3000K - ENDLESS - CASAMBI | 8,5 | 0,22 |
| 1A2280403.30.41 | MIRA - MATT BLACK - 2700K - ENDLESS - CASAMBI | 8,5 | 0,22 |
| 1A2960303.30.40 | MISS - MATT WHITE - 3000K - ENDLESS | 5,5 | 0,14 |
| 1A2960303.27.40 | MISS - MATT WHITE - 2700K - ENDLESS | 5,5 | 0,14 |
| 1A2960403.30.40 | MISS - MATT BLACK - 3000K - ENDLESS | 5,5 | 0,14 |
| 1A2960403.27.40 | MISS - MATT BLACK - 2700K - ENDLESS | 5,5 | 0,14 |
| 1A2960803.30.40 | MISS - BRUSHED BRASS - 3000K - ENDLESS | 5,5 | 0,14 |
| 1A2960803.27.40 | MISS - BRUSHED BRASS - 2700K - ENDLESS | 5,5 | 0,14 |
| 1A2962603.30.40 | MISS - MATT TOTAL BLACK - 3000K - ENDLESS | 5,5 | 0,14 |
| 1A2962603.27.40 | MISS - MATT TOTAL BLACK - 2700K - ENDLESS | 5,5 | 0,14 |
| 1A2980303.30.40 | CATHODE - MATT WHITE - 2700K | 5,5 | 0,14 |
| 1A2980303.27.40 | CATHODE - MATT WHITE - 3000K | 5,5 | 0,14 |
| 1A2980803.30.40 | CATHODE - BRUSHED BRASS - 2700K | 5,5 | 0,14 |
| 1A2980803.27.40 | CATHODE - BRUSHED BRASS - 3000K | 5,5 | 0,14 |
| 1A0850403.27.40 | REFLEX - 2700K - ENDLESS | 23 | 0,57 |
| 1A0850403.30.40 | REFLEX - 3000K - ENDLESS | 23 | 0,57 |


WATTAGE AMPERE (A)




MIRA ENDLESS




DOT P ENDLESS




SPOT ENDLESS



REFLEX



MISS ENDLESS




CATHODE ENDLESS




LAYOUT EXAMPLES

48 V POWER SUPPLY KIT: ABSORPTION MAX 1,875 A / ENDLESS: MAX 10 METERS LENGHT FROM POWER SUPPLY KIT



| | | |
|-----|------|------------|
| 2 | MIRA | 2 x 0,16 A |
| 1 | SPOT | 0,34 A |
| | | <hr/> |
| TOT | | 0,66 A |



LAYOUT EXAMPLES

48 V POWER SUPPLY KIT: ABSORPTION MAX 1,875 A / ENDLESS: MAX 10 METERS LENGHT FROM POWER SUPPLY KIT

| | | |
|-----|--------|--------|
| 1 | MISS | 0,14 A |
| 1 | REFLEX | 0,57 A |
| | | <hr/> |
| TOT | | 0,71 A |

