




The sizes are expressed in millimeters / inches.

DESIGN OMAR CARRAGLIA - 2006
SUSPENSION LAMP - METAL


MISS ENDLESS

CEILING ROSE





1A2960303.27.40	MATT WHITE - 2700K - ENDLESS	48 V DC - 5,5 W LED 2700K - 312 lm - CRI > 90 / 3000K - 312 lm - CRI > 90 WHITE CABLE - WHITE CEILING ROSE - DIMMABLE COMPULSORY ENDLESS POWER SUPPLY KIT NOT INCLUDED
1A2960303.30.40	MATT WHITE - 3000K - ENDLESS	
1A2960403.27.40	MATT BLACK - 2700K - ENDLESS	
1A2960403.30.40	MATT BLACK - 3000K - ENDLESS	
1A2960803.27.40	BRUSHED BRASS - 2700K - ENDLESS	48 V DC - 5,5 W LED 2700K - 312 lm - CRI > 90 / 3000K - 312 lm - CRI > 90 WHITE CABLE - WHITE CEILING ROSE - DIMMABLE COMPULSORY ENDLESS POWER SUPPLY KIT NOT INCLUDED
1A2960803.30.40	BRUSHED BRASS - 3000K - ENDLESS	
1A2962603.27.40	MATT TOTAL BLACK - 2700K - ENDLESS	
1A2962603.30.40	MATT TOTAL BLACK - 3000K - ENDLESS	


INSTALLATION WITH ENDLESS AND REMOTE POWER SUPPLY KIT



INSTALLATION WITH ENDLESS AND POWER SUPPLY KIT WITH PLUG







The sizes are expressed in millimeters / inches.

1A3470300.00.00	MATT WHITE - 5 m	ENDLESS - MAX 150 W - MAX 48 V DC - MAX 4 A	
1A3470400.00.00	MATT BLACK - 5 m		
1A0050300.00.00	MATT WHITE - 10 m		
1A0050400.00.00	MATT BLACK - 10 m		


1A0370000.00.00	STANDARD	FIXING ROUGH WALLS KIT - 2,5 m	
-----------------	----------	--------------------------------	--

1A3480300.00.00	MATT WHITE	TERMINAL BOX WITH 2 TERMINALS INCLUDED	
1A3480400.00.00	MATT BLACK		


1A0030300.00.00	MATT WHITE	POWER BASE FOR INSTALLATION WITH PLUG KIT	
1A0030400.00.00	MATT BLACK		

1A0810303.00.00	MATT WHITE	POWER BASE FOR INSTALLATION WITH REMOTE KIT	
1A0810403.00.00	MATT BLACK		


1A3490000.00.00	STANDARD	TERMINALS - 2 PIECES	
-----------------	----------	----------------------	--



WALL AND CEILING ROSE KIT



REMOTE POWER SUPPLY KIT



COMPULSORY POWER SUPPLY KIT FOR ENDLESS ON/OFF SYSTEM AND CASAMBI

1A0260303.00.00	MATT WHITE - ON/OFF	POWER SUPPLY KIT WITH PLUG INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W	
1A0260403.00.00	MATT BLACK - ON/OFF		

1A1020303.00.00	MATT WHITE - ON/OFF	WALL - CEILING ROSE - REMOTE KIT INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20	
1A1020403.00.00	MATT BLACK - ON/OFF		

COMPULSORY POWER SUPPLY KIT FOR ENDLESS DIMMABLE SYSTEM

1A1800303.00.06	MATT WHITE	POWER SUPPLY KIT WITH PLUG - DIMMER INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W	
1A1800403.00.06	MATT BLACK		

1A1810303.00.07	MATT WHITE - DIM	WALL - CEILING ROSE - REMOTE KIT INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20 DALI - PUSH - 0/1-10 V DIMMABLE	
1A1810403.00.07	MATT BLACK - DIM		



Light is free

POWER KIT:

1A0260403.00.00	POWER SUPPLY KIT WITH PLUG - 48 V - NOT DIMMABLE - MATT BLACK	90	MAX 1,875
1A1020303.00.00	WALL CEILING ROSE - REMOTE KIT - 48 V - NOT DIMMABLE - MATT WHITE	90	MAX 1,875
1A1800403.00.06	POWER SUPPLY KIT WITH PLUG - 48 V - DIMMABLE	90	MAX 1,875
1A1810303.00.07	WALL CEILING ROSE - REMOTE KIT - 48 V - DALI - PUSH - 0/1-10 V DIMMABLE	90	MAX 1,875


ELEMENTS:

1A1080303.00.40	SPOT - MATT WHITE - ENDLESS	13	0,34
1A1080403.00.40	SPOT - MATT BLACK - ENDLESS	13	0,34
1A1080303.00.41	SPOT - MATT WHITE - ENDLESS - CASAMBI	15,5	0,4
1A1080403.00.41	SPOT - MATT BLACK - ENDLESS - CASAMBI	15,5	0,4
1A2340303.27.40	DOT P - MATT WHITE - 3000K - ENDLESS	13	0,34
1A2340303.30.40	DOT P - MATT WHITE - 2700K - ENDLESS	13	0,34
1A2340403.27.40	DOT P - MATT BLACK - 3000K - ENDLESS	13	0,34
1A2340403.30.40	DOT P - MATT BLACK - 2700K - ENDLESS	13	0,34
1A2340303.27.41	DOT P - MATT WHITE - 3000K - ENDLESS - CASAMBI	15,5	0,4
1A2340303.30.41	DOT P - MATT WHITE - 2700K - ENDLESS - CASAMBI	15,5	0,4
1A2340403.27.41	DOT P - MATT BLACK - 3000K - ENDLESS - CASAMBI	15,5	0,4
1A2340403.30.41	DOT P - MATT BLACK - 2700K - ENDLESS - CASAMBI	15,5	0,4
1A2280303.27.40	MIRA - MATT WHITE - 3000K - ENDLESS	6	0,16
1A2280303.30.40	MIRA - MATT WHITE - 2700K - ENDLESS	6	0,16
1A2280403.27.40	MIRA - MATT BLACK - 3000K - ENDLESS	6	0,16
1A2280403.30.40	MIRA - MATT BLACK - 2700K - ENDLESS	6	0,16
1A2280303.27.41	MIRA - MATT WHITE - 3000K - ENDLESS - CASAMBI	8,5	0,22
1A2280303.30.41	MIRA - MATT WHITE - 2700K - ENDLESS - CASAMBI	8,5	0,22
1A2280403.27.41	MIRA - MATT BLACK - 3000K - ENDLESS - CASAMBI	8,5	0,22
1A2280403.30.41	MIRA - MATT BLACK - 2700K - ENDLESS - CASAMBI	8,5	0,22
1A2960303.30.40	MISS - MATT WHITE - 3000K - ENDLESS	5,5	0,14
1A2960303.27.40	MISS - MATT WHITE - 2700K - ENDLESS	5,5	0,14
1A2960403.30.40	MISS - MATT BLACK - 3000K - ENDLESS	5,5	0,14
1A2960403.27.40	MISS - MATT BLACK - 2700K - ENDLESS	5,5	0,14
1A2960803.30.40	MISS - BRUSHED BRASS - 3000K - ENDLESS	5,5	0,14
1A2960803.27.40	MISS - BRUSHED BRASS - 2700K - ENDLESS	5,5	0,14
1A2962603.30.40	MISS - MATT TOTAL BLACK - 3000K - ENDLESS	5,5	0,14
1A2962603.27.40	MISS - MATT TOTAL BLACK - 2700K - ENDLESS	5,5	0,14
1A2980303.30.40	CATHODE - MATT WHITE - 2700K	5,5	0,14
1A2980303.27.40	CATHODE - MATT WHITE - 3000K	5,5	0,14
1A2980803.30.40	CATHODE - BRUSHED BRASS - 2700K	5,5	0,14
1A2980803.27.40	CATHODE - BRUSHED BRASS - 3000K	5,5	0,14
1A0850403.27.40	REFLEX - 2700K - ENDLESS	23	0,57
1A0850403.30.40	REFLEX - 3000K - ENDLESS	23	0,57


WATTAGE AMPERE (A)




MIRA ENDLESS




DOT P ENDLESS



SPOT ENDLESS



REFLEX



MISS ENDLESS




CATHODE ENDLESS




LAYOUT EXAMPLES

48 V POWER SUPPLY KIT: ABSORPTION MAX 1,875 A / ENDLESS: MAX 10 METERS LENGHT FROM POWER SUPPLY KIT



2	MIRA	2 x 0,16 A
1	SPOT	0,34 A
		<hr/>
TOT		0,66 A



LAYOUT EXAMPLES

48 V POWER SUPPLY KIT: ABSORPTION MAX 1,875 A / ENDLESS: MAX 10 METERS LENGHT FROM POWER SUPPLY KIT

1	MISS	0,14 A
1	REFLEX	0,57 A
		<hr/>
TOT		0,71 A

