


m o o o i[®]



Space-Frame Small

by Marcel Wanders

powered through Electro Sandwich by Marcel Wanders

Space-Frame by Marcel Wanders shares the same refined freedom of not being bound or limited by cables, and takes it a step further by claiming complete independence. In fact its strong architectural frame, a geometrical net of light metal wires and transparent lights, hangs on a hinge that allows it to change position in space.

Designer	Marcel Wanders
Year of design	2015

m o o o i[®]

Material

Metal wire frame, poly carbonate lenses, ultra thin suspension wire.

Additional

Powered through Electrosandwich by Marcel Wanders

technical (ce)



Input voltage of 220-240V ~50Hz AC
Voltage on lamp < 5V DC (actual lamp surface functions as conductor!)

Amount of LED's:

34

Colour temperature (degrees Kelvin, K) Colour rendering index:

2700K (warm white, comparable to incandescent) CRI_Ra > 80

Luminous flux (Lumen, lm):

163 lm

Power consumption

Small: MAX 17W

Mains Dimmable

Cable length

4M | 13.1ft (transparent) can be shortened down to 30cm | 11.8".

(10M | 32.8ft on request)

Cable colour

Transparent with tinned cores

Canopy

Cylinder in matching finish: copper & nickel.

Suspension poles

You can adjust the length of the suspension pole. Enclosed with the Space-Frame there are 6 parts of suspension poles in 3 different sizes: 2x10cm (3.9"), 2x15 cm (5.9"), 2x50cm (19.6"). Total 1.5M | 4.9". Additional poles are available.



Technical (ul)

m o o o i[®]



Input voltage of 110-127V~60Hz AC

Voltage on lamp < 5V DC (actual lamp surface functions as conductor!)

Amount of LED's:

34

Colour temperature (degrees Kelvin, K) Colour rendering index:

2700K (warm white, comparable to incandescent) CRI_Ra > 80

Luminous flux (Lumen, lm):

400 lm

Power consumption

Small: MAX 9W

Mains Dimmable

Cable length

4M | 13.1ft (transparent) can be shortened down to 30cm | 11.8".

(10M | 32.8ft on request)

Cable colour

Transparent with tinned cores

Canopy

Cylinder in matching finish: copper & nickel.

Suspension poles

You can adjust the length of the suspension pole. Enclosed with the Space-Frame there are 6 parts of suspension poles in 3 different sizes: 2x10cm (3.9"), 2x15 cm (5.9"), 2x50cm (19.6"). Total 1.5M | 4.9". Additional poles are available.



Recommended dimmer specs

For a fluent dimming behaviour we advice a dimmer that is compatible with the following specs:

Transformer type: Magnetic

Load type: Inductive load (L-Type)

Dimmer type: Leading edge / Forward phase

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.

m o o o i[®]

Colours




Copper



Nickel

dimensions



19cm | 7,5"



7cm | 2,8"



13cm | 5,1"



63cm | 24,8"



43cm | 16,9"

m o o o i[®]

packaging

H 25 cm | 9,8"

W 53 cm | 20,9"

D 133 cm | 52,4"

Colli 1/1

Product weight:

7 KG | 15,4 lb

With packaging:

8,5 KG | 18,7 lb