

Pet Light

MARCEL WANDERS STUDIO



Uhuh, Purr & Noot Noot (owl, rabbit & penguin) are a series of table lamps by Marcel Wanders with their very own personalities and characteristics. Rounded, endearing and elegant, they find their place in any kind of interior climate and environment. Their frosted glass bodies, decorated with touches of gold, emit a sunny, heart-warming light glow. Choose your favourite characters amongst a penguin, a rabbit and an owl and enjoy a wonderland of fairy tale characters with heaps of charm!

Detailing




Gold plated ceramic features bring the animals to life, accessorizing them with precious jewels that complement their snowy bodies.

Colours

Matt white with
golden elements

Pet Light / Noot Noot (Penguin)

Dimensions



Product

WIDTH 18cm | 7.1"
HEIGHT 33cm | 13"
DEPTH 20cm | 7.9"
WEIGHT NETTO 1.5kg | 3.31lbs

Packaging

WIDTH 31cm | 12.2"
HEIGHT 31.5cm | 12.4"
CUBAGE 0.04m³ | 1.41ft³
LENGTH 41cm | 16.1"
WEIGHT 3kg | 6.61lbs

Technical CE

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

A

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

220-240

FREQUENCY

50/60

MAX POWER CONSUMPTION

4W

DIMMABLE

Yes

LAMPHOLDER

G9

RECOMMENDED LIGHTSOURCE

LED only

LIFETIME

50000 hours

CABLE COLOUR

Transparent with tinned cores

PLUG TYPE

Europlug (Type-C)

CABLE LENGTH

250cm | 98.4"

SWITCH

In line push button dimmer switch

COLOUR TEMPERATURE

2700 K

CRI

80

LIGHT DIRECTION

All directions

LIGHT OUTPUT

250 lm

Technical CU

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

100-130

FREQUENCY

50/60

MAX POWER CONSUMPTION

4W

DIMMABLE

Yes

LAMPHOLDER

G9

RECOMMENDED LIGHTSOURCE

LED only

LIFETIME

50000 hours

CABLE COLOUR

Transparent with tinned cores

PLUG TYPE

US plug (Type A)

CABLE LENGTH

250cm | 98.4"

SWITCH

In line push button dimmer switch

COLOUR TEMPERATURE

2700 K

CRI

80

LIGHT DIRECTION

All directions

LIGHT OUTPUT

250 lm

Pet Light / Purr (rabbit)

Dimensions

21cm | 8.3"



27cm | 10.6"



21cm | 8.3"



Product

WIDTH 21cm | 8.3"

HEIGHT 27cm | 10.6"

DEPTH 25cm | 9.8"

WEIGHT NETTO 1.5kg | 3.31lbs

Packaging

WIDTH 31cm | 12.2"

HEIGHT 31.5cm | 12.4"

CUBAGE 0.04m³ | 1.41ft³

LENGTH 41cm | 16.1"

WEIGHT 3kg | 6.61lbs

Technical CE

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

LIGHTSOURCE TYPE
LED

LIGHTSOURCE INCLUDED

Yes
NUMBER OF LIGHTSOURCES
1

INPUT VOLTAGE

220-240
FREQUENCY
50/60

MAX POWER CONSUMPTION

4W
DIMMABLE
Yes

LAMPHOLDER

G9
RECOMMENDED LIGHTSOURCE
LED only

LIFETIME

50000 hours
CABLE COLOUR
Transparent with tinned cores

PLUG TYPE

Europlug (Type-C)
CABLE LENGTH
250cm | 98.4"

SWITCH

In line push button dimmer switch
COLOUR TEMPERATURE
2700 K

CRI

80
LIGHT DIRECTION
All directions

LIGHT OUTPUT

250 lm

Technical CU

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL

LIGHTSOURCE TYPE
LED

LIGHTSOURCE INCLUDED

Yes
NUMBER OF LIGHTSOURCES
1

INPUT VOLTAGE

100-130
FREQUENCY
50/60

MAX POWER CONSUMPTION

4W
DIMMABLE
Yes

LAMPHOLDER

G9
RECOMMENDED LIGHTSOURCE
LED only

LIFETIME

50000 hours

PLUG TYPE

US plug (Type A)

SWITCH

In line push button dimmer switch

CRI

80

LIGHT OUTPUT

250 lm

CABLE COLOUR

Transparent with tinned cores

CABLE LENGTH

250cm | 98.4"

COLOUR TEMPERATURE

2700 K

LIGHT DIRECTION

All directions

Pet Light / Uhuh (owl)

Dimensions

23cm | 9.1"**21cm | 8.3"****24cm | 9.5"**

Product

WIDTH 23cm | 9.1"**HEIGHT** 21cm | 8.3"**DEPTH** 24cm | 9.4"**WEIGHT NETTO** 1.5kg | 3.31lbs

Packaging

WIDTH 31cm | 12.2"**HEIGHT** 31.5cm | 12.4"**CUBAGE** 0.04m³ | 1.41ft³**LENGTH** 41cm | 16.1"**WEIGHT** 3kg | 6.61lbs

Technical CE

MATERIAL

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL**LIGHTSOURCE INCLUDED**

Yes

INPUT VOLTAGE

220-240

MAX POWER CONSUMPTION

4W

LAMPHOLDER

G9

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

1

FREQUENCY

50/60

DIMMABLE

Yes

RECOMMENDED LIGHTSOURCE

LED only

LIFETIME

50000 hours

PLUG TYPE

Europlug (Type-C)

SWITCH

In line push button dimmer switch

CRI

80

LIGHT OUTPUT

250 lm

CABLE COLOUR

Transparent with tinned cores

CABLE LENGTH

250cm | 98.4"

COLOUR TEMPERATURE

2700 K

LIGHT DIRECTION

All directions

*Technical CU***MATERIAL**

Hand blown glass, gilded porcelain elements and base

ENERGY LABEL**LIGHTSOURCE TYPE**

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

100-130

FREQUENCY

50/60

MAX POWER CONSUMPTION

4W

DIMMABLE

Yes

LAMPHOLDER

G9

RECOMMENDED LIGHTSOURCE

LED only

LIFETIME

50000 hours

CABLE COLOUR

Transparent with tinned cores

PLUG TYPE

US plug (Type A)

CABLE LENGTH

250cm | 98.4"

SWITCH

In line push button dimmer switch

COLOUR TEMPERATURE

2700 K

CRI

80

LIGHT DIRECTION

All directions

LIGHT OUTPUT

250 lm

Dimmer

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs.

DIMMER TYPE

Dimmer on power cord

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.
