

# PRODUCT INFORMATION SHEET



<b>Name</b>	PURO SINGLE HORIZONTAL 400
<b>Type</b>	pendent lamp
<b>ID</b>	PC1158



**Description**

Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The Puro collection comprises of single vertical or horizontal tube or a single bell light suspended beneath a vertical tube and dual bell lights suspended beneath a horizontal tube. The diffused glow of the tubes combines with that of the bells to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. When standing alone as single tubes, amazing installations can be created, such as a composition of tubes coupled to a screen dividing space and evoking an intimate atmosphere bordering on scenography. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.

**Technical description**

The craftsmanship applied in production follows in the centuries-old tradition and experience of master glassmakers. The precision crafting of hand-blown glass instills distinctive, enduring character and outstanding quality in all Brokis products. The glass shades are formed from multiple layers of molten glass, each of which is scrutinized by the master glassmaker prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this stage of production.

## Glass Colour

triplex opal	A	CGC39
dark grey - opaline	B	CGC1507

## Glass surface

acid-etched both side surface	A	CGSU881
-------------------------------	---	---------

## Body finish

metal - black matte powder coating	A	CCS846
metal - white matte powder coating	A	CCS845

## Canopy finish

glass - black	A	CCSC2404
glass - white	A	CCSC2403

## Connection method

BROKIS connector	A	CCM1019
------------------	---	---------

## Cable colour

textile cable - black	A	CECL519
textile cable - white	A	CECL521

## LED Source

400mm 24V, LED, 7,5W, 2700K, 550lm, RA80+, DIM	A	LEDS2744
400mm 24V, LED, 7,5W, 4000K, 550lm, RA80+, DIM	A	LEDS2745
400mm 24V, LED, 7,5W, 5000K, 550lm, RA80+, DIM	A	LEDS2746

## Dimmable version

non-dimmable version	A	CEDV1457
RF system - remote control version	A	CEDV1461
PWM signal	A	CEDV1459
1-10V	A	CEDV1460
DALI version	A	CEDV1458
AC phase-cut	A	CEDV1730



# PRODUCT INFORMATION SHEET



Name	PURO SINGLE HORIZONTAL 800
Type	pendent lamp
ID	PC1011



**Description**

Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for “cigar”, which also means “pure” and is a reference to the composition’s clean lines. The Puro collection comprises of single vertical or horizontal tube or a single bell light suspended beneath a vertical tube and dual bell lights suspended beneath a horizontal tube. The diffused glow of the tubes combines with that of the bells to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. When standing alone as single tubes, amazing installations can be created, such as a composition of tubes coupled to a screen dividing space and evoking an intimate atmosphere bordering on scenography. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.

**Technical description**

The craftsmanship applied in production follows in the centuries-old tradition and experience of master glassmakers. The precision crafting of hand-blown glass instills distinctive, enduring character and outstanding quality in all Brokis products. The glass shades are formed from multiple layers of molten glass, each of which is scrutinized by the master glassmaker prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this stage of production.

## Glass Colour

triplex opal	A	CGC39
dark grey - opaline	B	CGC1507

## Glass surface

acid-etched both side surface	A	CGSU881
-------------------------------	---	---------

## Body finish

metal - black matte powder coating	A	CCS846
metal - white matte powder coating	A	CCS845

## Canopy finish

glass - black	A	CCSC2404
glass - white	A	CCSC2403

## Connection method

BROKIS connector	A	CCM1019
------------------	---	---------

## Cable colour

textile cable - black	A	CECL519
textile cable - white	A	CECL521

## LED Source

800mm 24V, LED, 15W, 2700K, 880lm, RA80+, DIM	A	LEDS1929
800mm 24V, LED, 15W, 4000K, 1080lm, RA80+, DIM	A	LEDS1930
800mm 24V, LED, 15W, 5000K, 1145lm, RA80+, DIM	A	LEDS1931

## Dimmable version

non-dimmable version	A	CEDV1457
RF system - remote control version	A	CEDV1461
PWM signal	A	CEDV1459
1-10V	A	CEDV1460
DALI version	A	CEDV1458
AC phase-cut	A	CEDV1730



# PRODUCT INFORMATION SHEET



<b>Name</b>	PURO SINGLE VERTICAL 600
<b>Type</b>	pendent lamp
<b>ID</b>	PC1013



**Description**

Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for “cigar”, which also means “pure” and is a reference to the composition’s clean lines. The Puro collection comprises of single vertical or horizontal tube or a single bell light suspended beneath a vertical tube and dual bell lights suspended beneath a horizontal tube. The diffused glow of the tubes combines with that of the bells to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. When standing alone as single tubes, amazing installations can be created, such as a composition of tubes coupled to a screen dividing space and evoking an intimate atmosphere bordering on scenography. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.

**Technical description**

The craftsmanship applied in production follows in the centuries-old tradition and experience of master glassmakers. The precision crafting of hand-blown glass instills distinctive, enduring character and outstanding quality in all Brokis products. The glass shades are formed from multiple layers of molten glass, each of which is scrutinized by the master glassmaker prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this stage of production.

## Glass Colour

triplex opal	A	CGC39
dark grey - opaline	B	CGC1507

## Glass surface

acid-etched both side surface	A	CGSU881
-------------------------------	---	---------

## Body finish

metal - black matte powder coating	A	CCS846
metal - white matte powder coating	A	CCS845

## Canopy finish

glass - black	A	CCSC2404
glass - white	A	CCSC2403

## Connection method

BROKIS connector	A	CCM1019
------------------	---	---------

## Cable colour

textile cable - black	A	CECL519
textile cable - white	A	CECL521

## LED Source

600mm 24V, LED, 9.5W, 2700K, 547lm, RA80+, DIM	A	LEDS1926
600mm 24V, LED, 9.5W, 4000K, 672lm, RA80+, DIM	A	LEDS1927
600mm 24V, LED, 9.5W, 5000K, 711lm, RA80+, DIM	A	LEDS1928

## Dimmable version

non-dimmable version	A	CEDV1457
RF system - remote control version	A	CEDV1461
PWM signal	A	CEDV1459
1-10V	A	CEDV1460
DALI version	A	CEDV1458
AC phase-cut	A	CEDV1730



# PRODUCT INFORMATION SHEET



<b>Name</b>	PURO SINGLE HORIZONTAL 600
<b>Type</b>	pendent lamp
<b>ID</b>	PC1010



**Description**

Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for “cigar”, which also means “pure” and is a reference to the composition’s clean lines. The Puro collection comprises of single vertical or horizontal tube or a single bell light suspended beneath a vertical tube and dual bell lights suspended beneath a horizontal tube. The diffused glow of the tubes combines with that of the bells to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. When standing alone as single tubes, amazing installations can be created, such as a composition of tubes coupled to a screen dividing space and evoking an intimate atmosphere bordering on scenography. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.

**Technical description**

The craftsmanship applied in production follows in the centuries-old tradition and experience of master glassmakers. The precision crafting of hand-blown glass instills distinctive, enduring character and outstanding quality in all Brokis products. The glass shades are formed from multiple layers of molten glass, each of which is scrutinized by the master glassmaker prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this stage of production.

## Glass Colour

triplex opal	A	CGC39
dark grey - opaline	B	CGC1507

## Glass surface

acid-etched both side surface	A	CGSU881
-------------------------------	---	---------

## Body finish

metal - black matte powder coating	A	CCS846
metal - white matte powder coating	A	CCS845

## Canopy finish

glass - black	A	CCSC2404
glass - white	A	CCSC2403

## Connection method

BROKIS connector	A	CCM1019
------------------	---	---------

## Cable colour

textile cable - black	A	CECL519
textile cable - white	A	CECL521

## LED Source

600mm 24V, LED, 9.5W, 2700K, 547lm, RA80+, DIM	A	LEDS1926
600mm 24V, LED, 9.5W, 4000K, 672lm, RA80+, DIM	A	LEDS1927
600mm 24V, LED, 9.5W, 5000K, 711lm, RA80+, DIM	A	LEDS1928

## Dimmable version

non-dimmable version	A	CEDV1457
RF system - remote control version	A	CEDV1461
PWM signal	A	CEDV1459
1-10V	A	CEDV1460
DALI version	A	CEDV1458
AC phase-cut	A	CEDV1730





# PRODUCT INFORMATION SHEET



<b>Name</b>	PURO SINGLE VERTICAL 400
<b>Type</b>	pendent lamp
<b>ID</b>	PC1157



**Description**

Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for “cigar”, which also means “pure” and is a reference to the composition’s clean lines. The Puro collection comprises of single vertical or horizontal tube or a single bell light suspended beneath a vertical tube and dual bell lights suspended beneath a horizontal tube. The diffused glow of the tubes combines with that of the bells to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. When standing alone as single tubes, amazing installations can be created, such as a composition of tubes coupled to a screen dividing space and evoking an intimate atmosphere bordering on scenography. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.

**Technical description**

The craftsmanship applied in production follows in the centuries-old tradition and experience of master glassmakers. The precision crafting of hand-blown glass instills distinctive, enduring character and outstanding quality in all Brokis products. The glass shades are formed from multiple layers of molten glass, each of which is scrutinized by the master glassmaker prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this stage of production.

## Glass Colour

triplex opal	A	CGC39
dark grey - opaline	B	CGC1507

## Glass surface

acid-etched both side surface	A	CGSU881
-------------------------------	---	---------

## Body finish

metal - black matte powder coating	A	CCS846
metal - white matte powder coating	A	CCS845

## Canopy finish

glass - black	A	CCSC2404
glass - white	A	CCSC2403

## Connection method

BROKIS connector	A	CCM1019
------------------	---	---------

## Cable colour

textile cable - black	A	CECL519
textile cable - white	A	CECL521

## LED Source

400mm 24V, LED, 7,5W, 2700K, 550lm, RA80+, DIM	A	LEDS2744
400mm 24V, LED, 7,5W, 4000K, 550lm, RA80+, DIM	A	LEDS2745
400mm 24V, LED, 7,5W, 5000K, 550lm, RA80+, DIM	A	LEDS2746

## Dimmable version

non-dimmable version	A	CEDV1457
RF system - remote control version	A	CEDV1461
PWM signal	A	CEDV1459
1-10V	A	CEDV1460
DALI version	A	CEDV1458
AC phase-cut	A	CEDV1730



# PRODUCT INFORMATION SHEET



<b>Name</b>	PURO SINGLE HORIZONTAL 1000
<b>Type</b>	pendent lamp
<b>ID</b>	PC1012



**Description**

Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for “cigar”, which also means “pure” and is a reference to the composition’s clean lines. The Puro collection comprises of single vertical or horizontal tube or a single bell light suspended beneath a vertical tube and dual bell lights suspended beneath a horizontal tube. The diffused glow of the tubes combines with that of the bells to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. When standing alone as single tubes, amazing installations can be created, such as a composition of tubes coupled to a screen dividing space and evoking an intimate atmosphere bordering on scenography. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.

**Technical description**

The craftsmanship applied in production follows in the centuries-old tradition and experience of master glassmakers. The precision crafting of hand-blown glass instills distinctive, enduring character and outstanding quality in all Brokis products. The glass shades are formed from multiple layers of molten glass, each of which is scrutinized by the master glassmaker prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this stage of production.

## **Glass Colour**

triplex opal	A	CGC39
dark grey - opaline	B	CGC1507

## **Glass surface**

acid-etched both side surface	A	CGSU881
-------------------------------	---	---------

## **Body finish**

metal - black matte powder coating	A	CCS846
metal - white matte powder coating	A	CCS845

## **Canopy finish**

glass - black	A	CCSC2404
glass - white	A	CCSC2403

## **Connection method**

BROKIS connector	A	CCM1019
------------------	---	---------

## **Cable colour**

textile cable - black	A	CECL519
textile cable - white	A	CECL521

## **LED Source**

1000mm 24V, LED, 17.5W, 2700K, 1035lm, RA80+, DIM	A	LEDS1932
1000mm 24V, LED, 17.5W, 4000K, 1270lm, RA80+, DIM	A	LEDS1933
1000mm 24V, LED, 17.5W, 5000K, 1346lm, RA80+, DIM	A	LEDS1934

## **Dimmable version**

non-dimmable version	A	CEDV1457
RF system - remote control version	A	CEDV1461
PWM signal	A	CEDV1459
1-10V	A	CEDV1460
DALI version	A	CEDV1458
AC phase-cut	A	CEDV1730



# PRODUCT INFORMATION SHEET



<b>Name</b>	PURO SINGLE VERTICAL 800
<b>Type</b>	pendent lamp
<b>ID</b>	PC1014



**Description**

Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for “cigar”, which also means “pure” and is a reference to the composition’s clean lines. The Puro collection comprises of single vertical or horizontal tube or a single bell light suspended beneath a vertical tube and dual bell lights suspended beneath a horizontal tube. The diffused glow of the tubes combines with that of the bells to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. When standing alone as single tubes, amazing installations can be created, such as a composition of tubes coupled to a screen dividing space and evoking an intimate atmosphere bordering on scenography. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.

**Technical description**

The craftsmanship applied in production follows in the centuries-old tradition and experience of master glassmakers. The precision crafting of hand-blown glass instills distinctive, enduring character and outstanding quality in all Brokis products. The glass shades are formed from multiple layers of molten glass, each of which is scrutinized by the master glassmaker prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this stage of production.

## Glass Colour

triplex opal	A	CGC39
dark grey - opaline	B	CGC1507

## Glass surface

acid-etched both side surface	A	CGSU881
-------------------------------	---	---------

## Body finish

metal - black matte powder coating	A	CCS846
metal - white matte powder coating	A	CCS845

## Canopy finish

glass - black	A	CCSC2404
glass - white	A	CCSC2403

## Connection method

BROKIS connector	A	CCM1019
------------------	---	---------

## Cable colour

textile cable - black	A	CECL519
textile cable - white	A	CECL521

## LED Source

800mm 24V, LED, 15W, 2700K, 880lm, RA80+, DIM	A	LEDS1929
800mm 24V, LED, 15W, 4000K, 1080lm, RA80+, DIM	A	LEDS1930
800mm 24V, LED, 15W, 5000K, 1145lm, RA80+, DIM	A	LEDS1931

## Dimmable version

non-dimmable version	A	CEDV1457
RF system - remote control version	A	CEDV1461
PWM signal	A	CEDV1459
1-10V	A	CEDV1460
DALI version	A	CEDV1458
AC phase-cut	A	CEDV1730



# PRODUCT INFORMATION SHEET



**Name** PURO SOLO HORIZONTAL 400

**Type** pendent lamp

**ID** PC1156



**Description** Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The diffused glow of the tubes to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas.

**Technical description** The craftsmanship applied in production follows in the centuries-old tradition and experience of master glassmakers. The precision crafting of hand-blown glass instills distinctive, enduring character and outstanding quality in all Brokis products. The glass shades are formed from multiple layers of molten glass, each of which is scrutinized by the master glassmaker prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this stage of production.

## **Glass Colour**

triplex opal	A	CGC39
dark grey - opaline	B	CGC1507

## **Glass surface**

acid-etched both side surface	A	CGSU881
-------------------------------	---	---------

## **Body finish**

metal - black matte powder coating	A	CCS846
metal - white matte powder coating	A	CCS845

## **Canopy finish**

glass - black	A	CCSC2404
glass - white	A	CCSC2403

## **Connection method**

BROKIS connector	A	CCM1019
------------------	---	---------

## **Cable colour**

textile cable - black	A	CECL519
textile cable - white	A	CECL521

## **LED Source**

400mm 24V, LED, 7,5W, 2700K, 550lm, RA80+, DIM	A	LEDS2744
400mm 24V, LED, 7,5W, 4000K, 550lm, RA80+, DIM	A	LEDS2745
400mm 24V, LED, 7,5W, 5000K, 550lm, RA80+, DIM	A	LEDS2746

## **Dimmable version**

non-dimmable version	A	CEDV1457
RF system - remote control version	A	CEDV1461
PWM signal	A	CEDV1459
1-10V	A	CEDV1460
DALI version	A	CEDV1458
AC phase-cut	A	CEDV1730