

A CEDV1730

Name PURO SOLO HORIZONTAL 400

Type pendent lamp

ID PC1156

Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The diffused glow

of the tubes to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation.

Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private

dining areas.

Technical description

The craftsmanship applied in production follows in the centuries-old tradition and experience of master glassmakers. The precision crafting of hand-blown glass instills distinctive, enduring character and outstanding quality in all Brokis products.

The glass shades are formed from multiple layers of molten glass, each of which is scrutinized by the master glassmaker

prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this stage of production.

Glass Colour

AC phase-cut

<u> </u>		
triplex opal	Α	CGC39
dark grey - opaline	В	CGC1507
Glass surface		
acid-etched both side surface	Α	CGSU881
Body finish		
metal - black matte powder coating	А	CCS846
metal - white matte powder coating	Α	CCS845
Canopy finish		
glass - black	А	CCSC2404
glass - white	Α	CCSC2403
Connection method		
BROKIS connector	Α	CCM1019
Cable colour		
textile cable - black	А	CECL519
textile cable - white	Α	CECL521
LED Source		
400mm 24V, LED, 7,5W, 2700K, 550lm, RA80+, DIM	Α	LEDS2744
400mm 24V, LED, 7,5W, 4000K, 550lm, RA80+, DIM	Α	LEDS2745
400mm 24V, LED, 7,5W, 5000K, 550lm, RA80+, DIM	Α	LEDS2746
<u>Dimmable version</u>		
non-dimmable version	А	CEDV1457
RF system - remote control version	Α	CEDV1461
PWM signal	Α	CEDV1459
1-10V	Α	CEDV1460
DALIversion	Α	CEDV1458

AC phase-cut



A CEDV1730

PURO SOLO HORIZONTAL 800 Name pendent lamp Type ID PC1126 Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from Description the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The diffused glow of the tubes to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas. The craftsmanship applied in production follows in the centuries-old tradition and experience of master glassmakers. The Technical description precision crafting of hand-blown glass instills distinctive, enduring character and outstanding quality in all Brokis products. The glass shades are formed from multiple layers of molten glass, each of which is scrutinized by the master glassmaker prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this stage of production. **Glass Colour** triplex opal A CGC39 CGC1507 dark grey - opaline Glass surface acid-etched both side surface A CGSU881 **Body finish** metal - black matte powder coating CCS846 metal - white matte powder coating CCS845 **Canopy finish** A CCSC2404 glass - black glass - white CCSC2403 **Connection method BROKIS** connector A CCM1019 Cable colour textile cable - black A CECL519 textile cable - white CECL521 **LED Source** 800mm 24V, LED, 15W, 2700K, 880lm, RA80+, DIM A LEDS1929 800mm 24V, LED, 15W, 4000K, 1080lm, RA80+, DIM A LEDS1930 800mm 24V, LED, 15W, 5000K, 1145lm, RA80+, DIM A LEDS1931 **Dimmable version** A CEDV1457 non-dimmable version A CEDV1461 RF system - remote control version PWM signal A CEDV1459 1-10V A CEDV1460 **DALI** version A CEDV1458

AC phase-cut



A CEDV1730

PURO SOLO HORIZONTAL 600 Name pendent lamp Type ID PC1125 Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from Description the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The diffused glow of the tubes to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas. The craftsmanship applied in production follows in the centuries-old tradition and experience of master glassmakers. The Technical description precision crafting of hand-blown glass instills distinctive, enduring character and outstanding quality in all Brokis products. The glass shades are formed from multiple layers of molten glass, each of which is scrutinized by the master glassmaker prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this stage of production. **Glass Colour** triplex opal A CGC39 CGC1507 dark grey - opaline Glass surface acid-etched both side surface A CGSU881 **Body finish** metal - black matte powder coating CCS846 metal - white matte powder coating CCS845 **Canopy finish** A CCSC2404 glass - black glass - white CCSC2403 **Connection method BROKIS** connector A CCM1019 Cable colour textile cable - black A CECL519 textile cable - white CECL521 **LED Source** 600mm 24V, LED, 9.5W, 2700K, 547lm, RA80+, DIM A LEDS1926 600mm 24V, LED, 9.5W, 4000K, 672lm, RA80+, DIM A LEDS1927 600mm 24V, LED, 9.5W, 5000K, 711lm, RA80+, DIM A LEDS1928 **Dimmable version** A CEDV1457 non-dimmable version A CEDV1461 RF system - remote control version PWM signal A CEDV1459 1-10V A CEDV1460 **DALI** version A CEDV1458



PURO SOLO VERTICAL 1000 Name pendent lamp Type ID PC1124 Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from Description the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The diffused glow of the tubes to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas. The craftsmanship applied in production follows in the centuries-old tradition and experience of master glassmakers. The Technical description precision crafting of hand-blown glass instills distinctive, enduring character and outstanding quality in all Brokis products. The glass shades are formed from multiple layers of molten glass, each of which is scrutinized by the master glassmaker prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this stage of production. **Glass Colour** triplex opal A CGC39 CGC1507 dark grey - opaline Glass surface acid-etched both side surface A CGSU881 **Body finish** metal - black matte powder coating CCS846 metal - white matte powder coating CCS845 **Canopy finish** A CCSC2404 glass - black glass - white CCSC2403 **Connection method BROKIS** connector A CCM1019 Cable colour textile cable - black A CECL519 textile cable - white CECL521 **LED Source** 1000mm 24V, LED, 17.5W, 2700K, 1035lm, RA80+, DIM A LEDS1932 1000mm 24V, LED, 17.5W, 4000K, 1270lm, RA80+, DIM A LEDS1933 1000mm 24V, LED, 17.5W, 5000K, 1346lm, RA80+, DIM A LEDS1934 **Dimmable version** A CEDV1457 non-dimmable version A CEDV1461 RF system - remote control version PWM signal A CEDV1459 1-10V A CEDV1460 **DALI** version A CEDV1458 AC phase-cut A CEDV1730



A CEDV1730

Name PURO SOLO VERTICAL 800

Type pendent lamp

ID PC1123

Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The diffused glow of the tubes to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation.

of the tubes to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private

dining areas.

Technical description

The craftsmanship applied in production follows in the centuries-old tradition and experience of master glassmakers. The precision crafting of hand-blown glass instills distinctive, enduring character and outstanding quality in all Brokis products.

The glass shades are formed from multiple layers of molten glass, each of which is scrutinized by the master glassmaker

prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this stage of production.

Glass Colour

AC phase-cut

triplex opal	Α	CGC39
dark grey - opaline	В	CGC1507
Glass surface		
	٨	00011004
acid-etched both side surface	Α	CGSU881
Body finish		
metal - black matte powder coating	Α	CCS846
metal - white matte powder coating	Α	CCS845
Canopy finish		
glass - black	Α	CCSC2404
glass - white	Α	CCSC2403
Connection method		
BROKIS connector	Α	CCM1019
Cable colour		
textile cable - black	Α	CECL519
textile cable - white	Α	CECL521
LED Source		
800mm 24V, LED, 15W, 2700K, 880lm, RA80+, DIM	Α	LEDS1929
800mm 24V, LED, 15W, 4000K, 1080lm, RA80+, DIM	Α	LEDS1930
800mm 24V, LED, 15W, 5000K, 1145lm, RA80+, DIM	Α	LEDS1931
<u>Dimmable version</u>		
non-dimmable version	Α	CEDV1457
RF system - remote control version	Α	CEDV1461
PWM signal		CEDV1459
1-10V		CEDV1460
DALI version	Α	CEDV1458

AC phase-cut



A CEDV1730

PURO SOLO VERTICAL 600 Name pendent lamp Type ID PC1122 Puro is a boldly minimalistic variation on atmospheric pendant lights. Inspiration for the collection and its name come from Description the Spanish word for "cigar", which also means "pure" and is a reference to the composition's clean lines. The diffused glow of the tubes to elicit a dynamic ambience, while the alternating gloss and matte finishes provide a degree of provocation. Puro offers atmospheric room lighting as well as lighting for offices, hospitality interiors, boutiques, showrooms and private dining areas. The craftsmanship applied in production follows in the centuries-old tradition and experience of master glassmakers. The Technical description precision crafting of hand-blown glass instills distinctive, enduring character and outstanding quality in all Brokis products. The glass shades are formed from multiple layers of molten glass, each of which is scrutinized by the master glassmaker prior to being blown into the mold. Up to 70% of the resulting quality is achieved in this stage of production. **Glass Colour** triplex opal A CGC39 CGC1507 dark grey - opaline Glass surface acid-etched both side surface A CGSU881 **Body finish** metal - black matte powder coating CCS846 metal - white matte powder coating CCS845 **Canopy finish** A CCSC2404 glass - black glass - white CCSC2403 **Connection method BROKIS** connector A CCM1019 Cable colour textile cable - black A CECL519 textile cable - white CECL521 **LED Source** 600mm 24V, LED, 9.5W, 2700K, 547lm, RA80+, DIM A LEDS1926 600mm 24V, LED, 9.5W, 4000K, 672lm, RA80+, DIM A LEDS1927 600mm 24V, LED, 9.5W, 5000K, 711lm, RA80+, DIM A LEDS1928 **Dimmable version** A CEDV1457 non-dimmable version A CEDV1461 RF system - remote control version PWM signal A CEDV1459 1-10V A CEDV1460 **DALI** version A CEDV1458